EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|---------------------|--|---------------------|
| L2 | 1 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and optically adj variable and angle and secondary adj pattern and primary and registration and latent adj image\$1).CLM. | US-PGPUB | OR | ON | 2009/01/16 16:11 |
| L3 | 75568 | "359"/\$.ccls. | USPAT | OR | ON | 2009/01/16 16:17 |
| L4 | 403 | L3 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/16 16:17 |
| L5 | 12 | L4 and reflective adj device | USPAT | OR | ON | 2009/01/16 16:18 |
| L6 | 0 | L5 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/16 16:20 |
| L7 | 0 | L5 and(encod\$4 or encode)and latent adj image\$1 | USPAT | OR | ON | 2009/01/16 16:21 |
| L8 | 10 | L5 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 16:21 |
| L9 | 7 | L5 and @ad<"20030707" | USPAT | OR | ON | 2009/01/16 16:22 |
| L14 | 84 | (("(20070110317") or ("20070109643") or ("5298747") or ("6219074") or ("4346401") or ("5525192") or ("4386145") or ("5978105") or ("5991083") or ("6172363") or ("6369949") or ("6559663") or ("6950608") or ("6995370") or ("7026830") or ("7081928") or ("7375329") or ("7417444") or ("20020027440") or ("20020171778") or ("20050145791") or ("20050145791") or ("20060043982") or ("20080164499") or ("20080164499") or ("20080302964") or ("66882737") or ("6782115") or ("6882737") or ("20020080992") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OF The state of th | 2009/01/16 |

| | | ("20020080994") or ("20030128862") or ("20030210805") or ("20050063027") or ("20060039581") or ("20070128748") or ("20070258621") or ("20080218817") or ("5986381") or ("6225020") or ("6225020") or ("4370937") or ("4970928") or (").pn.")).PN. | | | | |
|-----------|-------|---|---|----|----|---------------------|
| L15 | 57 | L14 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 17:17 |
| L16 | 0 | L15 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 17:24 |
| L17 | 52 | L14 and @ad<"20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 17:25 |
| L18 | 0 | L17 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 17:26 |
| L19 | 2 | "20070109643" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 17:36 |
| S1 | 18027 | (micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:37 |
| S2 | 40 | S1 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:37 |
| S3 | 2 | S2 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:38 |

| S4 | 3 | S2 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:42 |
|----|----|--|---|----|-----|---------------------|
| 95 | 84 | (("(20070110317") or ("20070109643") or ("5298747") or ("6219074") or ("4346401") or ("5525192") or ("4386145") or ("5381187") or ("5978105") or ("5991083") or ("6172363") or ("6329826") or ("6369949") or ("6559663") or ("6950608") or ("7081928") or ("7026830") or ("7417444") or ("20020027440") or ("20020171778") or ("20030169060") or ("20050135798") or ("20050145791") or ("20050275709") or ("20060043982") or ("20080164499") or ("20080164499") or ("20080302964") or ("6608911") or ("6782115") or ("6882737") or ("20020080994") or ("20030128862") or ("20030128862") or ("20030210805") or ("20070258621") or ("20070258621") or ("2008028891") or ("20070258621") or ("20080218817") or ("5986381") or ("6225020") or ("5986381") or ("6225020") or ("5986381") or ("4370937") or ("6225020") or ("4370937") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/11 |
| S6 | 3 | S5 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |
| S7 | 2 | S6 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |
| S8 | 2 | S7 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:44 |

| S9 | 143 | ((TIMOTHY) near2 (DAVIS)). INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:51 |
|-----|------|--|---|----|----|---------------------|
| S10 | 2023 | (((ROBERT) near2 (LEE)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:52 |
| S11 | 22 | ((LAWRENCE) near2 (MCCARTHY)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:52 |
| S12 | 22 | (((LAWRENCE) near2 (MCCARTHY)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:53 |
| S13 | 7 | ((GERHARD) near2 (SWIEGERS)).INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:53 |
| S14 | 9 | ((GERARD) near2 (WILSON)). INV. | US-PGPUB; USPAT | OR | ON | 2009/01/11 12:54 |
| S15 | 1 | S9 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S16 | 1 | S15 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S17 | 1 | S16 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S18 | 1 | S17 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:55 |
| S19 | 6 | S10 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:56 |
| S20 | 1 | S19 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:56 |
| S21 | 1 | S20 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S22 | 1 | S21 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |

| S23 | 1 | S11 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
|-----|---|--|---|----|----|---------------------|
| S24 | 1 | S23 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S25 | 1 | S24 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:57 |
| S26 | 1 | S25 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:58 |
| S27 | 1 | S11 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:58 |
| S28 | 1 | S27 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
| S29 | 1 | S28 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
| S30 | 1 | S29 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 12:59 |
| S31 | 1 | S12 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |
| S32 | 1 | S31 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |
| S33 | 1 | S32 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:00 |

| S34 | 1 | S33 and(encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:01 |
|-----|------|--|---|----|----|---------------------|
| S35 | 3432 | 382/100,232.ccls. | USPAT | OR | ON | 2009/01/11 13:02 |
| S36 | 3635 | 324/751,765.ccls. | USPAT | OR | ON | 2009/01/11 13:02 |
| S37 | 4028 | 250/310,307,311,306.ccls. | USPAT | OR | ON | 2009/01/11 13:03 |
| S38 | 2355 | 348/760,E9.027,781.ccls. | USPAT | OR | ON | 2009/01/11 13:03 |
| S39 | 157 | 396/335.ccls. | USPAT | OR | ON | 2009/01/11 13:03 |
| S40 | 254 | 359/2.cds. | USPAT | OR | ON | 2009/01/11 13:04 |
| S41 | 5624 | 430/270.1,315,329.cdls. | USPAT | OR | ON | 2009/01/11 13:04 |
| S42 | 424 | 358/527.ccls. | USPAT | OR | ON | 2009/01/11 13:05 |
| S43 | 2271 | 526/262,264,281.ccls. | USPAT | OR | ON | 2009/01/11 13:05 |
| S44 | 1 | S35 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:07 |
| S45 | 0 | S18 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:16 |
| S46 | 0 | S15 and(@ad< "20030707" or @rlad< "20030707" or @prad< "20030707" or @ptad< "20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:18 |
| S47 | 5 | S19 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:20 |
| S48 | 0 | S23 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:20 |
| S49 | 0 | S31 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:21 |

| S50 | 3 | S19 and @ad<"20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:21 |
|-----|---|---|---|----|----|---------------------|
| S51 | 3 | S50 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S52 | 0 | S51 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S53 | 0 | S51 and(generates or obtaining) same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:22 |
| S54 | 0 | S51 and(encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:23 |
| S55 | 0 | S51 and(encod\$4 or encode) and latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 13:23 |
| S56 | 1 | S35 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:28 |
| S57 | 0 | S56 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:28 |
| S58 | 0 | S56 and(generates or obtaining) same optically adj variable | USPAT | OR | ON | 2009/01/11 13:29 |
| S59 | 0 | S56 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:29 |
| S60 | 0 | S56 and(encod\$4 or encode) same latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:29 |
| S61 | 0 | S56 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:30 |
| S62 | 0 | S36 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:30 |
| S63 | 0 | S36 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:30 |
| S64 | 1 | S37 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:31 |
| S65 | 0 | S64 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:31 |
| S66 | 0 | S64 and(generates or obtaining) same optically adj variable | USPAT | OR | ON | 2009/01/11 13:31 |

| S67 | 0 | S64 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:31 |
|-----|----|--|-------|----|----|---------------------|
| S68 | 18 | S38 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:32 |
| S69 | 2 | S68 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:32 |
| S70 | 0 | S69 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:33 |
| S71 | 0 | \$69 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:33 |
| S72 | 1 | S69 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | USPAT | OR | ON | 2009/01/11 13:38 |
| S73 | 0 | S39 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:40 |
| S74 | 0 | S72 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:40 |
| S75 | 0 | S74 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:40 |
| S76 | 0 | S72 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:41 |
| S77 | 7 | S40 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 13:41 |
| S78 | 1 | S77 and(generates or obtaining) and optically adj variable | USPAT | OR | ON | 2009/01/11 13:43 |
| S79 | 0 | S78 and reflective adj device | USPAT | OR | ON | 2009/01/11 13:43 |
| S80 | 0 | S78 and(encod\$4 or encode) and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:43 |
| S81 | 0 | S78 and(encod\$4 or encode) | USPAT | OR | ON | 2009/01/11 13:47 |
| S82 | 1 | S78 and pattern | USPAT | OR | ON | 2009/01/11 13:47 |
| S83 | 0 | S78 and primary adj pattern | USPAT | OR | ON | 2009/01/11 13:47 |
| S84 | 0 | S78 and secondary adj pattern | USPAT | OR | ON | 2009/01/11 13:48 |
| S85 | 0 | S82 and latent adj image\$1 | USPAT | OR | ON | 2009/01/11 13:49 |
| S86 | 1 | S82 and angle | USPAT | OR | ON | 2009/01/11 13:49 |
| S87 | 1 | S86 and image\$1 | USPAT | OR | ON | 2009/01/11 13:50 |
| S88 | 0 | S87 and(registrat\$3 or alignment)and pattern | USPAT | OR | ON | 2009/01/11 13:51 |
| S89 | 0 | S87 and(registrat\$3 or alignm \$3)and pattern | USPAT | OR | ON | 2009/01/11 13:51 |

| S90 | 1 | S87 and light adj source | USPAT | OR | ON | 2009/01/11 13:52 |
|------|----|---|---|----|----|---------------------|
| S91 | 0 | S90 and photomask | USPAT | OR | ON | 2009/01/11 13:53 |
| S92 | 1 | S90 and lithography | USPAT | OR | ON | 2009/01/11 13:54 |
| S93 | 1 | S92 and (wet or dry) and etching | USPAT | OR | ON | 2009/01/11 13:55 |
| S94 | 0 | S93 and optical adj contact | USPAT | OR | ON | 2009/01/11 14:00 |
| S95 | 0 | S94 and project\$3 adj system | USPAT | OR | ON | 2009/01/11 14:00 |
| S96 | 0 | S93 and embossing adj die | USPAT | OR | ON | 2009/01/11 14:02 |
| S97 | 1 | S93 and electroplating | USPAT | OR | ON | 2009/01/11 14:03 |
| S98 | 1 | S97 and(micro adj mirror adj array or MMA) | USPAT | OR | ON | 2009/01/11 14:03 |
| S99 | 1 | S98 and pixellated | USPAT | OR | ON | 2009/01/11 14:04 |
| S100 | 1 | S99 and diffract\$3 | USPAT | OR | ON | 2009/01/11 14:04 |
| S101 | 1 | S100 and grating | USPAT | OR | ON | 2009/01/11 14:05 |
| S102 | 0 | S101 and(track-line or track adj line) | USPAT | OR | ON | 2009/01/11 14:06 |
| S103 | 0 | S101 and regular adj array | USPAT | OR | ON | 2009/01/11 14:06 |
| S104 | 0 | S101 and rectangular adj array | USPAT | OR | ON | 2009/01/11 14:07 |
| S105 | 0 | S101 and rectangular adj array | USPAT | OR | ON | 2009/01/11 14:07 |
| S106 | 0 | S101 and horizontal | USPAT | OR | ON | 2009/01/11 14:07 |
| S107 | 0 | S101 and vertical | USPAT | OR | ON | 2009/01/11 14:07 |
| S108 | 0 | S101 and sam | USPAT | OR | ON | 2009/01/11 14:11 |
| S109 | 0 | S101 and phasegram | USPAT | OR | ON | 2009/01/11 14:12 |
| S110 | 0 | S101 and tonagram | USPAT | OR | ON | 2009/01/11 14:12 |
| S111 | 0 | S101 and binagram | USPAT | OR | ON | 2009/01/11 14:12 |
| S112 | 25 | S2 and(@ad<"20030707" or @rlad<"20030707" or @prad<"20030707" or @ptad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:13 |

| S113 | 16 | S2 and @ad< "20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:13 |
|------|----|---|---|----|----|---------------------|
| S114 | 0 | S113 and (encod\$4 or encode) same latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S115 | 0 | S113 and (encod\$4 or encode) and latent adj image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S116 | 4 | S113 and (encod\$4 or encode) and image\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:14 |
| S117 | 0 | S116 and(generates or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:16 |
| S118 | 0 | S116 and photomask | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:18 |
| S119 | 0 | S116 and lithography | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S120 | 0 | S116 and(generates or obtaining)same optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S121 | 0 | S116 and(generates or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:19 |
| S122 | 0 | S116 and(registrat\$3 or alignm \$3)and pattern | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:20 |
| S123 | 0 | S116 and photomask | USPAT | OR | ON | 2009/01/11 14:21 |
| S124 | 0 | S116 and lithography | USPAT | OR | ON | 2009/01/11 14:21 |

| S125 | 0 | S116 and (wet or dry) and etching | USPAT | OR | ON | 2009/01/11 14:22 |
|------|---|--|---|----|----|---------------------|
| S126 | 0 | S116 and optical adj contact | USPAT | OR | ON | 2009/01/11 14:22 |
| S127 | 1 | S116 and project\$3 adj system | USPAT | OR | ON | 2009/01/11 14:23 |
| S128 | 0 | S127 and embossing adj die | USPAT | OR | ON | 2009/01/11 14:23 |
| S129 | 0 | S127 and electroplating | USPAT | OR | ON | 2009/01/11 14:24 |
| S130 | 0 | S127 and pixellated | USPAT | OR | ON | 2009/01/11 14:24 |
| S131 | 1 | S127 and diffract\$3 | USPAT | OR | ON | 2009/01/11 14:25 |
| S132 | 0 | S127 and grating | USPAT | OR | ON | 2009/01/11 14:26 |
| S133 | 0 | S101 and(track-line or track adj line) | USPAT | OR | ON | 2009/01/11 14:26 |
| S134 | 0 | S111 and regular adj array | USPAT | OR | ON | 2009/01/11 14:27 |
| S135 | 0 | S131 and grating | USPAT | OR | ON | 2009/01/11 14:27 |
| S136 | 0 | S131 and rectangular adj array | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 14:29 |
| S137 | 0 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1 and(registrat \$3 or align\$4) adj pattern and reflection and observation adj angle and light adj source). CLM. | US-PGPUB | OR | ON | 2009/01/11 14:41 |
| S138 | 0 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1 and(registrat \$3 or align\$4) adj pattern and primary adj pattern and secondary adj pattern and reflection and observation adj angle and light adj source). CLM. | US-PGPUB | OR | ON | 2009/01/11 14:43 |
| S139 | 1 | ((micro adj mirror adj array or MMA) and reflective adj device and(encod\$4 or encode) and latent adj image\$1).CLM. | US-PGPUB | OR | ON | 2009/01/11 14:43 |

| S140 | 129 | ("2005123134") or ("6859534") or ("2005053234") or ("2005052017") or ("2004264737") or ("2003012374") or ("5735547") or ("2003030271") or ("5788285") or ("5722693") or ("5454598") or ("5271645") or ("20050184504") or ("5035929") or ("5428479") or ("4143967") or ("4682430") or ("4684593") or ("4684597") or ("6104812") or ("4586711") or ("6252971") or ("5374976") or ("5374976") or ("5399280") or ("6249588") or ("6494491") or ("5536045") or ("5772249") or ("5301981") or ("6324009") or ("6000332") or ("6324009") or ("6088161") or ("5825547") or ("6444757") or ("5437897") or ("6542629") or ("20020106102") or ("20020102007") or ("5734752") or ("6198545") or ("6198545") or ("5708717") or ("4914700") or ("5708717") or ("4914700") or ("20030228014") or ("20030228014") or ("2004001611") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/11 |
|------|-----|--|---|----|-----|---------------------|
| | | ("2004001611") or ("2002136429") or ("5790703). pn.")).PN. | | | | |
| S141 | 0 | S140 and(micro adj mirror adj array or MMA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:05 |
| S142 | 0 | S140 and reflective adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:05 |
| S143 | 117 | S140 and(@ad< "20030707" or @rlad< "20030707" or @prad< "20030707" or @ptad< "20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:06 |

| S144 | 0 | S143 and(encod\$4 or encode) and latent adj image\$1 and (registrat\$3 or align\$4)adj pattern and reflection and observation adj angle and light adj source | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:08 |
|------|----|---|---|----|----|---------------------|
| S145 | 30 | S143 and(encod\$4 or encode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:08 |
| S146 | 10 | S145 and(registrat\$3 or alignm \$3)and pattern | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:09 |
| S147 | 0 | S146 and(generates or obtaining) and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:09 |
| S148 | 0 | S146 and(generat\$4 or obtaining)and optically adj variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:10 |
| S149 | 9 | S146 and @ad<"20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:10 |
| S150 | 4 | S116 and @ad<"20030707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/11 15:19 |

1/16/09 5:36:33 PM C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 2278.wsp